AM. J. DRUG ALCOHOL ABUSE, 23(4), pp. 643–651 (1997)

# INDEX TO VOLUME 23

## A

Acampora, A., 99–114
Acquired immunodeficiency syndrome (AIDS) dementia, early, treatment in intravenous drug users, 543–553
Adinoff, B., 615–622
Adolescents
  the early emergence of narcotic addict types in, 523–542
  justice system clients in an addiction treatment program, 335–341
  screening for drug abuse in clinical and correctional settings, 79–98
  substance abusers, motivation and readiness for therapeutic community treatment of, 485–506
Adult substance abusers, motivation and readiness for therapeutic community treatment of, 485–506
African Americans. *See* Blacks
Age, effects on perinatal substance abuse among whites and African Americans, 431–451
AIDS. *See* Acquired immunodeficiency syndrome
Aktan, G. B., 229–248
Alcohol
  and aggressive crime under different social conditions, 249–265
  and gender differences, relationship to criminal behavior, 129–141
  and problems related with, predictors of increases among black and white adults, 281–299
  psychometric structure and discriminative sensitivity of the Drug Use Screening Inventory for abuse of, 207–219
Alcohol use transmission, test of a gender-specific structural model for, 143–165
Alcohol withdrawal syndrome, dexamethasone in the treatment of, 615–622
Alcoholics, comparison of family of origin factors for children of versus children of non-alcoholics, 597–613
Anabolic steroids, effects on driving performance as assessed by the Iowa Driver Simulator, 623–636
Angelo, A., 637–642
Anglin, M. D., 15–42, 369–382

Antin, J. H., 301–308
Arndt, S., 623–636

B

Beardsley, M., 555–567
Behr, H. M., 301–308
Blacks
  effects of age on perinatal substance abuse among, 431–451
  predictors of increases in alcohol-related problems for, 281–299
Bone marrow transplant, and substance abuse, 301–308
Bowser, B., 67–77
Brackbill, R. M., 397–411
Bridge, T. P., 543–553
Brief intervention services, on-site alcohol or drug, integration with other medical care, 1–13
Brudenell, I., 453–466

C

Caetano, R., 281–299
Calkins, R. F., 229–248
Campbell, C., 413–419
Casas, M., 267–279
Chang, G., 301–308
Childhood abuse, as a risk for partner abuse among women in methadone maintenance, 581–595
Children, of alcoholics and non-alcoholics, comparison of family of origin factors between, 597–613
Clients
  entering drug abuse treatment, characteristics and pre-treatments behaviors of, 43–59
  in standard and enhanced methadone maintenance treatment, patterns and predictors of cocaine and crack use by, 15–42
Cocaine
  poverty and fatal accidental overdoses of, 221–228
  use
    immediately prior to entry in an inpatient heroin detoxification unit, as a predictor of discharges against medical advice, 267–279
    patterns and predictors for clients in standard and enhanced methadone maintenance treatment, 15–42
  users
    motivation and readiness for therapeutic community treatment, 169–189
    relationship between self-efficacy perceptions and in-treatment drug use among, 383–395
  *See also* Crack cocaine
Collier, K., 555–567
Counseling, relationship with effectiveness of outpatient drug treatment, 369–382
Couples outpatient alcoholism treatment, sources of motivation in, 191–205

Crack cocaine
addiction, and HIV high-risk behavior, 67–77
use
HIV-related risk behaviors and predictors of serostatus associated with, 555–567
patterns and predictors for clients in standard and enhanced methadone maintenance treatment, 15–42
users, in a residential addiction treatment program, comparison of HIV-positive and HIV-negative status of, 569–580
Craddock, S. G., 43–59
Craighead, L. W., 383–395
Crime, aggressive, and alcohol and drugs under different social conditions, 249–265
Criminal behavior
gender differences in the relationship of alcohol and drug use to, 129–141
relationship with substance abuse, 413–419

D

Day treatment, 18-month outcomes for clients entering for drug abuse, 99–114
De Leon, G., 169–189, 485–506
Delinquency, screening for drug abuse among adolescents in clinical and correctional settings, 79–98
Deren, S., 555–567
Dermatis, H., 355–367
Desmond, D. P., 507–522
Dexamethasone, in the treatment of the alcohol withdrawal syndrome, 615–622
Diagnoses
errors in due to physician unawareness of serious substance abuse, 343–354
of psychoactive substance abuse and dependence, test-retest reliability in telephone interviews, 229–248
psychometric structure and discriminative sensitivity of the Drug Use Screening Inventory for Adults for, 207–219
Discharges against medical advice, cocaine use immediately prior to entry in an inpatient heroin detoxification unit as a predictor of, 267–279
Domestic violence, among women in methadone maintenance, childhood abuse as a risk for, 581–595
Donnermeyer, J. F., 467–484
Dose dependent effects, of yohimbine on methadone maintained patients, 327–333
Driving performance, effects of anabolic steroids on, 623–636
Drug abuse treatment
characteristics and pretreatment behaviors of clients entering, 43–59
day, 18-month outcomes for clients entering, 99–114
relationship between counseling increase and effectiveness of, 369–382
relationship of increased levels with drug-related problems, 421–429

Drug abusers, motivation and readiness for therapeutic community treatment, 169–189
Drug use history, relationship with criminal behavior, 413–419
Drug Use Screening Inventory for Adults, psychometric structure and discriminative sensitivity of, 207–219
Drug-related problems, relationship of increased levels of drug abuse treatment to, 421–429
Drugs
  and aggressive crime under different social conditions, 249–265
  and gender differences, relationship to criminal behavior, 129–141
  illegal use among rural adults, mental health consequences and treatment utilization, 467–484
  injecting
    client-reported HIV infection in, 397–411
    desire for treatment among users of, 507–522
  intravenous, treatment of early AIDS dementia in users of, 543–553
  poverty and fatal accidental overdoses from cocaine and opiates, 221–228
  psychometric structure and discriminative sensitivity of the Drug Use Screening Inventory for abuse of, 207–219
Dual diagnosis patients, admitted to an urban public psychiatric hospital, characteristics of, 309–326
Dunn, C. W., 1–13

E

El-Bassel, N., 581–595
Ellingrod, V. L., 623–636
Engagement, efficacy of outreach strategy for, 61–66
Epstein, E. E., 191–205
Ethnic groups, and the relation between drugs and alcohol and aggressive crime, 249–265

F

Family of origin, comparison for children of alcoholics and nonalcoholics, 597–613
Family support, in addiction treatment, 115–127
Fiorentine, R., 369–382
Flynn, P. M., 43–59, 383–395
Frank, M. R., 637–642
Friedman, E., 581–595

G

Galanter, M., 115–127, 355–367
Gamma-hydroxybutyrate (GHB), dangers of, 637–642
Gender differences, in the relationship of alcohol and drug use to criminal behavior, 129–141
Gender-specific structural model for alcohol use transmission, 143–165
GHB. *See* Gamma-hydroxybutyrate
Gilbert, L., 581–595
Glasford, M. T., 569–580
Glucocorticoids, use of dexamethasone in the treatment of the alcohol withdrawal syndrome, 617–624

Gottheil, E., 61–66
Grella, C. E., 15–42
Guydish, J., 99–114

H

Hameedi, F. A., 327–333
Hamid, R., 555–567
Hanlon, T. E., 523–542
Hannan, P., 281–299
Hartwell, N., 221–228
Hawke, J., 485–506
Hirsch, C. S., 221–228
Hirsch, L. S., 191–205
HIV. *See* Human immunodeficiency virus
Holman, T. L., 623–636
Hospitalized patients, integrated brief interventions with, 1–13
Hsiao, C.-Y., 281–299
Hubbard, R. L., 43–59
Human immunodeficiency virus (HIV)
  positive and negative status among crack users enrolled in a residential addiction treatment program, 569–580
  risk behavior
    and crack cocaine addiction, 67–77
    and methadone treatment, 397–411
    and predictors of serostatus among crack users, 555–567
Hunt, M. E., 597–613

I

Injecting drug users
  client-reported HIV infection in, 397–411
  desire for treatment among, 507–522
Inpatient treatment, in a heroin detoxification unit, cocaine use immediately prior as a predictor of discharges against medical advice, 267–279
Intravenous drug users, treatment of early AIDS dementia in, 543–553
In-treatment drug use, among regular cocaine users, relationship with self-efficacy perceptions, 383–395

J

Jainchill, N., 485–506
Jones-Allan, M., 569–580
Jones-Webb, R., 281–299
Justice system clients, in a youth addiction treatment program, 335–341

K

Kaplan, C. D., 249–265
Kasim, R. M., 229–248
Keller, D. S., 115–127, 355–367
Kewson, T. P., 309–326
Kingree, J. B., 569–580
Kinlock, T. W., 523–542
Kirisci, L., 207–219
Kolody, B., 431–451
Kosten, T. R., 327–333, 543–553
Kotranski, L., 555–567
Kouri, E. M., 413–419
Kressel, D., 169–189, 485–506
Kroliczak, A., 229–248

L

Latimer, W. W., 79–98
Lauby, J., 555–567
Leon, A. C., 221–228
Luke, D. A., 309–326

M

McCrady, B. S., 191–205
McGarigle, C., 301–308
MacGowan, R. J., 397–411
MacIndoe, J. H., 623–636
McMahon, T. L., 543–553
Mann, R., 421–429
Marzuk, P. M., 221–228
Medical care, general, linking with substance abuse services, 1–13
Melnick, G., 169–189, 485–506
Mental health consequences, of illegal drug use among rural adults, 467–484
Methadone maintenance treatment
  childhood abuse as a risk for partner abuse among women in, 581–595
  and HIV infection risk behaviors, 397–411
  standard and enhanced, patterns and predictors of cocaine and crack use by clients in, 15–42
Methadone maintained patients, dose dependent effects of yohimbine on, 327–333
Motherhood, protection of recovery during the transition to, 453–466
Motivation
  in a couples outpatient alcoholism treatment program, 191–205
  among injecting drug users, 507–522
  for therapeutic community treatment
    among adolescent and adult substance abusers, 485–506
    among cocaine and other drug abusers, 169–189
Mowbray, C. T., 309–326
Mulvey, K. P., 343–354

N

Narcotic addict types, the early emergence of, 523–542
Nature's Quaalude, GHB as, 637–642
Network therapy
  for addiction, assessment of clinical outcome of training for, 355–367
  rating scale, for systematic use of peer and family support in addiction treatment, 115–127
Noble, A., 431–451
Nunes-Dinis, M. C., 129–141
Nurco, D. N., 523–542

O

O'Connor, P. G., 543–553
Ogborne, A. C., 335–341
O'Grady, K. E., 523–542
Oliva, P. S., 413–419
O'Malley, S. S., 543–553
On-site alcohol or drug brief intervention services, integration with other medical care, 1–13

Opiates, poverty and fatal accidental overdoses from, 221–228
Orav, E. J., 301–308
Outpatient treatment
  alcoholism, for couples, sources of motivation in, 191–205
  for drugs, relationship between counseling increase and effectiveness of, 369–382
  training for network therapy for, 355–367
Outreach engagement efforts, efficacy of, 61–66

P

Parent/adult–child drinking patterns, a gender-specific structural model for transmission of, 143–165
Pearsall, H. R., 327–333
Pearsall, R., 543–553
Peer support, in addiction treatment, 115–127
Peptide T treatment, high versus low dose, for early AIDS dementia in intravenous drug users, 543–553
Pérez de los Cobos, J., 267–279
Perinatal substance abuse, among whites and African Americans, effects of age on, 431–451
Perrine, M. W. B., 143–165
Perry, P. J., 623–636
Physicians, and unawareness of serious substance abuse, 343–354
Plough, A., 343–354
Pols, B., 615–622
Pope, H. G., Jr., 413–419
Porter, P., 431–451
Portera, L., 221–228
Poverty, and fatal accidental drug overdoses of cocaine and opiates, 221–228
Powell, K. F., 413–419
Predictors
  of discharges against medical advice from an inpatient heroin detoxification unit, 267–279
  of increases in alcohol-related problems among black and white adults, 281–299
  of serostatus in crack users, 555–567
Price, M., 99–114
Primary health care, unawareness of physicians of serious substance abuse, 343–354
Problem-Oriented Screening Instrument for Teenagers, for screening for drug abuse among adolescents in clinical and correctional settings, 79–98

R

Randall, U., 301–308
Recovery, protection during transition to motherhood, 453–466
Residential treatment programs, a comparison of HIV-positive and HIV-negative crack users in, 569–580
Ribalta, E., 267–279
Ribisl, K. M., 229–248, 309–326
Ries, R., 1–13
Risk behaviors
  and crack cocaine addiction, 67–77
  and methadone treatment, 397–411
  and predictors of serostatus among crack users, 555–567

Robertson, E. B., 467–484
Rosen, M. I., 327–333, 543–553
Rounds-Bryant, J. L., 43–59, 383–395
Rugg, D., 397–411
Rural adults, mental health consequences and treatment utilization related to illegal drug use among, 467–484

S

Saitz, R., 343–354
Samet, J. H., 343–354
Sanguineti, V. R., 637–642
Schilling, R. F., 581–595
Screening, for drug abuse among adolescents in clinical and correctional settings, 79–98
Self-efficacy perceptions, among regular cocaine users, relationship with in-treatment drug use, 383–395
Semaan, S., 555–567
Serostatus predictors, in crack users, 555–567
Smart, R. G., 421–429
Solomon, M., 309–326
Stajic, M., 221–228
Steinberg, M. L., 191–205
Sterling, R. C., 61–66
Stinchfield, R. D., 79–98
Substance abuse
  lifetime, and bone marrow transplant, 301–308
  and severe mental illness, characteristics of patients admitted to an urban public psychiatric hospital, 309–326
Substance abuse services, linking with general medical care, 1–13
Suurvali, H., 421–429

T

Tajima, B., 99–114
Tardiff, K., 221–228
Tarter, R. E., 207–219
Testosterone cypionate, effects on driving performance, 623–636
Test-retest reliability, of psychoactive substance abuse and dependence diagnoses in telephone interviews, 229–248
Tortu, S., 555–567
Training, for network therapy for addiction, assessment of clinical outcome of, 355–367
Treatment programs
  day, 18-month outcomes for clients entering for drug abuse, 99–114
  drug abuse
    characteristics and pretreatment behaviors of clients entering, 43–59
    relationship between counseling increase and effectiveness of, 369–382
    relationship of increased levels with fewer drug-related problems, 421–429
  inpatient, in a heroin detoxification unit, cocaine use immediately prior as a predictor of discharges against medical advice, 267–279

outpatient
for couples for alcoholism, sources of motivation in, 191–205
for drugs, relationship between counseling increase and effectiveness of, 369–382
training for network therapy for, 355–367
residential, a comparison of HIV-positive and HIV-negative crack users in, 569–580
youth addiction, justice system clients in, 335–341
Treatment readiness
among adolescent and adult substance abusers, 485–506
among drug abusers, 169–189
Treatment utilization, of illegal drug using rural adults, 467–484
Trujols, J., 267–279
Typology, of narcotic addict types, 523–542

V

Valdez, A., 249–265
Vega, W. A., 431–451
Vogtsberger, K. N., 507–522

W

Watson, G., 623–636
Weinberg, S., 115–127
Weinstein, S. P., 61–66
Weisner, C., 129–141
Werdegar, D., 99–114
Whites
effects of age on perinatal substance abuse among, 431–451
predictors of increases in alcohol-related problems for, 281–299
Winters, K. C., 79–98
Women, in methadone maintenance, childhood abuse as a risk for partner abuse among, 581–595
Woods, S. W., 327–333
Word, C. O., 67–77
Wugalter, S. E., 15–42

Y

Yates, W. R., 623–636
Yin, Z., 249–265
Yohimbine, dose dependent effects on methadone maintained patients, 327–333
Yu, J., 143–165

Z

Zule, W. A., 507–522